

Before using, be sure to read this written explanation.  
Also, please put it in a safe place so that you can read it when necessary.

Class 2 OTC Medicine

For Eye Allergy Symptoms caused by Pollen, House Dust, etc

## AG Allercut® ic

Sodium Cromoglicate Eye Drops

Characteristics of AG Allercut ic

1. The anti-allergy component, "sodium cromoglicate", suppresses the release of allergy-inducing substances and relieves severe allergy symptoms.
2. "Chlorpheniramine maleate" blocks the histamine receptor binding, which causes allergy symptoms, and soothes irritated eyes.
3. "Dipotassium glycyrrhizinate" soothes eye inflammation caused by allergic reactions.
4. "Chondroitin sulfate sodium" maintains eye moisture and cares for the corneal surface.
5. Provides a refreshing and cool sensation when applied.



### Precautions



**Things to avoid** (If you fail to follow these precautions, your present symptoms may worsen, or side effects/accidents may occur more readily)

1. **This product should not be used by the following persons.**  
Persons who have had allergic symptoms to this product or its ingredients.
2. **If using in conjunction with nasal drops, do not drive vehicles or operate machines after taking this product.** (Symptoms such as sleepiness etc. may occur)



### Things to consult

1. **The following persons should consult a doctor, pharmacist, or registered seller before use.**
  - (1) Persons undergoing medical treatment from a doctor
  - (2) Persons undergoing hypo-sensitization (allergy desensitization) therapy or allergy treatments
  - (3) Women who are pregnant or considered to be pregnant
  - (4) Persons who have had allergic symptoms to medicines or such
  - (5) Persons who have the following symptoms: Severe eye pain
  - (6) Persons who have been diagnosed with the following conditions: Glaucoma
  - (7) Persons who are unclear whether the symptoms are caused by an allergy or other conditions

Especially in the following cases when it cannot be definitively determined if the symptoms are caused by allergies, please consult a physician before use:

  - If symptoms appear only in one eye
  - If symptoms appear only in the eyes, and no symptoms are observed in the nose
  - If it affects vision
2. **If the following symptoms are observed after using this medicine, these may be adverse reactions, so stop using the medicine immediately and bring this instruction to a consultation with your doctor, pharmacist, or registered seller.**

Related Part	Symptoms
Skin	Rash, redness, itching
Eyes	Bloodshot, itching, swelling, pain

In rare cases, the following serious symptoms may occur. In such cases, seek medical attention immediately.

Symptom Name	Symptoms
Shock (anaphylaxis)	Symptoms such as itchy skin, hives, hoarse voice, sneezing, itchy throat, shortness of breath, palpitations, or impaired consciousness.

3. **In the following cases, stop using the medicine and bring this instruction to a consultation with a doctor, pharmacist, or registered seller.**
  - (1) If blurred vision does not improve
  - (2) If symptoms do not improve after about 2 days
4. **If using this product for more than 2 weeks, even after symptoms improve, please bring this instruction to a consultation with a doctor, pharmacist, or registered seller.**

### Indications

Relief of the following eye allergy symptoms caused by pollen, house dust (indoor dust), and similar triggers: Itchy eyes, bloodshot, blurred vision (especially when there is excessive eye discharge), teary eyes, foreign body sensation (feeling like something is rubbing against your eye)

### Dosage and Administration

Apply 1-2 drops per dose, 4-6 times a day.

#### <Precautions related to dosage and administration>

- (1) Follow the dosage and administration strictly.
- (2) For children, please follow the guidance of a guardian when using this product.
- (3) Do not allow the tip of the container to touch the eyelids or eyelashes.  
Also, do not use it if the solution is cloudy.
- (4) Do not use this product while wearing contact lenses.
- (5) Use only for eye drops.

1. Wash your hands thoroughly before use.
2. Gently pull your lower eyelid down and apply 1-2 drops from directly above.  
Be careful not to allow the tip of the container to touch the eyelids or eyelashes during this process.
3. After applying the drops, close your eyes and allow the drops to spread around the eye.
4. After use, keep the tip of the container and cap clean, and securely close the cap.



### Ingredients and Quantities

This product is a colorless to light yellow clear eye drop solution, containing the following ingredients per 100 mL:

Ingredient	Quantity	Function
Sodium Cromoglicate	1 g	Suppresses the release of allergy-inducing substances and relieves severe allergy symptoms.
Chlorpheniramine Maleate	0.015 g	Blocks histamine receptor binding, which causes allergy symptoms, and soothes irritated eyes.
Dipotassium Glycyrrhizinate	0.125 g	Soothes eye inflammation caused by allergic reactions.
Chondroitin Sulfate Sodium	0.2 g	Maintains eye moisture and cares for the corneal surface.

Additives: Edetate Sodium, Boric Acid, Sodium Borate, Benzalkonium Chloride, Propylene Glycol, Polysorbate 80, dl-Camphor, d-borneol, pH adjuster, Sodium Hyaluronate

### Storage and Handling Precautions

- (1) Store tightly closed in a cool place and out of direct sunlight.
- (2) Keep out of reach of children.
- (3) Don't put it in a different container. (It can lead to misuse or lowering of quality.)
- (4) Please do not share this product with others.
- (5) Please do not use this product after the expiration date. Even within the expiration date, please use it promptly after opening. The expiration date indicated on the container (the upper back) is displayed in the Western calendar format, year/month.
- (6) Do not place in high-temperature areas (above 40°C) such as inside a car or near heating appliances. (The container may deform)

If you have any questions about this product,  
please contact the store where you purchased it or at the following address:  
Daiichi Sankyo Healthcare Co., Ltd. Customer Relations Office  
3-14-10, Nihonbashi, Chuo-ku, Tokyo, Japan zip/postal code 103-8234  
TEL: 0120-337-336  
Reception Hours: 9:00 am -5:00 pm (closed Saturday, Sunday, and holidays)

<https://www.daiichisankyo-hc.co.jp/>

01® Registered Trademark



Manufacturer and Seller  
Daiichi Sankyo Healthcare Co., Ltd.  
3-14-10, Nihonbashi, Chuo-ku, Tokyo, Japan