

For stuffy nose, runny nose, and sneezing caused by pollen, etc.

MADE IN JAPAN

エージ-アレルギーカット[®]EX_c <季節性アレルギー専用>

AG Allercut[®]EX_c <exclusively for seasonal allergy>

Nasal spray containing beclomethasone dipropionate (steroid)

Designated class 2 OTC medicine



Indications

Alleviation of the following symptoms caused by seasonal allergy to pollen, etc.: Stuffy nose, runny nose (excessive nasal drip), sneezing

Dosage and Administration

Age	Amount per dose	Number of doses per day
Adults (18 years old or over)	Spray once into each nostril.	Usually, twice (morning and evening)
Under 18 years	Do not use.	


This product can be used up to 4 times (8 sprays) a day, but please have an interval of at least 3 hours between doses.

- If the symptoms improve, reduce the number of doses.
If the symptoms are exacerbated again, you can increase the number of doses.
- Do not use for more than 3 months per year.

<Precautions related to how to use guidelines>

- (1) Because this product contains beclomethasone dipropionate (steroid), adverse reactions may occur more readily when an excessive amount is used or when it is used incorrectly. Please follow the how to use guidelines strictly.
- (2) This product is for nasal use only.
- (3) If you taste something during use, please rinse your mouth.

- ① Persons with purulence in nasal cavity cannot use this product.
- ② Carefully blow your nose before use.
(Gently blow your nose.)
- ③ Remove the blue cap, and hold the container as shown in the figure.
(Before you use the spray for the first time, push the spray a few times until you can see the drug comes out as a mist.)
- ④ Insert the nozzle tip into one nostril, and spray once. Repeat the same operation in the other nostril.
- ⑤ Wipe the nozzle with a clean tissue, etc. and replace the cap after use.



Ingredients and Quantities (per100g)

Ingredients	Quantity	Action
Beclomethasone dipropionate	0.1 g	It acts on nasal mucosa and suppresses stuffy nose, runny nose, etc.

Additives: Carboxy vinyl polymer, L-arginine, ethanol, isotonicizing agent, benzalkonium chloride, sodium edetate, peppermint oil, l-menthol, polysorbate 80, pH modifier

<Precautions related to ingredients and quantities>

Because this product contains alcohol, it may sting the area of application.

Precautions

Things to avoid

(If you fail to observe these precautions, your present symptoms may worsen, or adverse reactions may more readily occur)

1. This product should not be used by the following persons:

(1) Persons who have been diagnosed with the following conditions

Mycosis of the whole body, tuberculous disease, hypertension, diabetes, repeated epistaxis, asthma, glaucoma, infection

(2) Persons with purulence in nasal cavity (pus is accumulated due to infection of hair roots, accompanied by pain or swelling)

(3) Persons who have had an allergic reaction to this product or ingredients of this product

(4) Persons aged under 18

(5) Women who are pregnant or suspect that they are pregnant

(6) Persons who used steroid nasal drops for 3 months or more during the past year

2. Do not use this product or other steroid nasal drops for more than 3 months per year combined.

(If it is necessary to use it for more than 3 months, consult a physician specializing in ear, nose, and throat disorders because they might be some different diseases.)

3. Do not use any steroid nasal drop after using this product. However, if the nasal drop is prescribed by a physician, follow the instructions of the physician.

Things to consult

1. The following persons should consult a physician, pharmacist, or registered seller before use.

(1) Persons who are receiving treatment from a physician

(2) Persons who are receiving treatment for allergy such as desensitization therapy

(3) Persons with pain in head, forehead or cheek and yellow or green nasal discharge (infectious sinusitis)

(4) Women who are breastfeeding

(5) Persons who have had an allergic reaction to a drug, etc.

(6) Persons who have symptoms of an unknown cause, i.e., whether they are due to seasonal allergy or other factors.

(7) Elderly people

(8) Persons with hypertrophic rhinitis*1 or nasal polyp*2

*1: The area around the nose feels heavy and a small amount of mucous or yellow or green nasal discharge is secreted.

*2: Accompanied by nasal congestion, nasal voice, a sensation of a foreign object in the back of the nose, etc.

(9) Persons receiving long-term or high-dose systemic steroid therapy